

HYDRO FORCE™ 138

Shutoff



Overview

The HYDRO FORCE™ Shutoff is offered in two purpose-built models designed to regulate nozzle pressure and optimize handline performance. The HYDRO FORCE 175 is engineered for a 517 kPa inlet pressure, maintaining 310-345 kPa nozzle pressure on 1.5" and 1.75" hose lines while delivering 662 LPM with a 60 lb nozzle reaction. The HYDRO FORCE 250 supports 2" and 2.5" hose lines, delivering 946 LPM at 310 kPa nozzle pressure with an 89 lb nozzle reaction.

Features

- Full-ball design provides a smoother movement throughout
- Lightweight
- Hard-coat anodized aluminum body and all-metal ball
- Inlet Threads: 1.5" NH, 1.5" NPSH, 2.5" NH, and 2.5" NPSH
- Outlet Threads: 1.5" NH, and 1.5" NPSH
- Full-time swivel
- NFPA 1964 compliant
- 5 Year Warranty
- Pistol grip available

Specifications

	IMPERIAL	METRIC
Waterway Size	1.375 in.	35 mm
Rated Pressure	200 PSI	1,379 kPa
Weight (1.5" / 2.5" thread)	2.9 / 3.4 lb	1.3 / 1.5 kg
Length (1.5" / 2.5" thread)	5.2 / 5.7 in.	132 / 145 mm
Width (1.5" / 2.5" thread)	4.1 / 4.1 in.	104 / 104 mm
Height (1.5" / 2.5" thread)	5.2 / 5.7 in.	132 / 145 mm



**NFPA
COMPLIANT**